

ΔΙΑΔΡΑΣΤΙΚΗ ΕΠΙΚΟΙΝΩΝΙΑ

Ο ΥΠΟΛΟΓΙΣΤΗΣ

Διδάσκων: Μιχάλης Βρίγκας
mvrigkas@uowm.gr



Ο ΥΠΟΛΟΓΙΣΤΗΣ

Στοιχεία που απαρτίζουν έναν υπολογιστή και επηρεάζουν την αλληλεπίδραση:


- input devices – text entry and pointing
- output devices – screen (small&large), digital paper
- virtual reality – special interaction and display devices
- physical interaction – e.g. sound, haptic, bio-sensing
- paper – as output (print) and input (scan)
- memory – RAM & permanent media, capacity & access
- processing – speed of processing, networks



ΑΛΛΗΛΕΠΙΔΡΑΣΗ ΜΕ ΥΠΟΛΟΓΙΣΤΕΣ

to understand human–*computer* interaction
... need to understand computers!

what goes in and out
devices, paper,
sensors, etc.



what can it do?
memory, processing,
networks




ΕΝΑ «ΣΥΝΗΘΙΣΜΕΝΟ» ΥΠΟΛΟΓΙΣΤΙΚΟ ΣΥΣΤΗΜΑ

?



- screen, or monitor, on which there are windows
- keyboard
- mouse/trackpad

- variations
 - desktop
 - laptop
 - PDA



the devices dictate the styles of interaction that the system supports

If we use different devices, then the interface will support a different style of interaction



ΠΑΝΤΑΧΟΥ ΠΑΡΩΝ ΥΠΟΛΟΓΙΣΜΟΣ

- Υπολογιστές στο σπίτι μας?
- Υπολογιστές στις τσέπες μας?



ΠΑΝΤΑΧΟΥ ΠΑΡΩΝ ΥΠΟΛΟΓΙΣΜΟΣ

Στο σπίτι?

- PC
- TV, VCR, DVD, HiFi, cable/satellite TV
- microwave, cooker, washing machine
- security system

Στην τσέπη μας?

- PDA
- phone, camera
- smart card, card with magnetic strip?
- electronic car key
- USB memory

try your pockets



ΔΙΑΔΡΑΣΤΙΚΟΤΗΤΑ;

Long ago in a galaxy far away ... *batch* processing

- punched card stacks or large data files prepared
- long wait
- line printer output
... and if it is not right ...


Now most computing is interactive

- rapid feedback
- the user in control (most of the time)
- doing rather than thinking ...

Is faster always better?



ΠΛΟΥΣΙΑ ΑΛΛΗΛΕΠΙΔΡΑΣΗ



ΣΥΣΚΕΥΕΣ ΚΕΙΜΕΝΟΥ

keyboards (QWERTY et al.)

chord keyboards, phone pads

handwriting, speech

ΠΛΗΚΤΡΟΛΟΓΙΑ

- Most common text input device
- Allows rapid entry of text by experienced users
- Keypress closes connection, causing a character code to be sent
- Usually connected by cable, but can be wireless




ΠΛΗΚΤΡΟΛΟΓΙΟ QWERTY

- Standardised layout
 - but ...
 - non-alphanumeric keys are placed differently
 - accented symbols needed for different scripts
 - minor differences between UK and USA keyboards
- QWERTY arrangement not optimal for typing
 - layout to prevent typewriters jamming!
- Alternative designs allow faster typing but large social base of QWERTY typists produces reluctance to change.




ΠΛΗΚΤΡΟΛΟΓΙΟ QWERTY (ΣΥΝ.)



ΑΛΛΑ ΠΛΗΚΤΡΟΛΟΓΙΑ

Alphabetic

- keys arranged in alphabetic order
- not faster for trained typists
- not faster for beginners either!



Dvorak

- common letters under dominant fingers
- biased towards right hand
- common combinations of letters alternate between hands
- 10-15% improvement in speed and reduction in fatigue
- But - large social base of QWERTY typists produce market pressures not to change

~	!	@	#	\$	%	^	&	*	()	{	}	←	
`	1	2	3	4	5	6	7	8	9	0	[]	Backspace	
Tab	"	<	>	P	Y	F	G	C	R	L	?	+		
↔	,	,	.						/	=	/	=	\	
Caps Lock	A	O	E	U	I	D	H	T	N	S	-	↵	Enter	
⬆		:	:	Q	J	K	X	B	M	W	V	Z	↵	
⬆		:	:										↵	
Ctrl	Win Key	Alt									Alt Gr	Win Key	Menu	Ctrl



SPECIAL KEYBOARDS

- designs to reduce fatigue for RSI
- for one handed use
e.g. the Maltron left-handed keyboard



ΠΛΗΚΤΡΟΛΟΓΙΟ CHORD

only a few keys - four or 5

letters typed as combination of keypresses

compact size

- ideal for portable applications

short learning time


- keypresses reflect letter shape

fast

- once you have trained

BUT - social resistance, plus fatigue after extended use

NEW – niche market for some wearables



ΠΛΗΚΤΡΑ ΚΙΝΗΤΩΝ ΚΑΙ T9

- use numeric keys with multiple presses

2 - a b c

6 - m n o

3 - d e f

7 - p q r s

4 - g h i

8 - t u v

5 - j k l

9 - w x y z

hello = 4433555[pause]555666

surprisingly fast!

- T9 predictive entry
 - type as if single key for each letter
 - use dictionary to 'guess' the right word
 - hello = 43556 ...
 - but 26 -> menu 'am' or 'an' (επιλογή από λίστα)



ΑΝΑΓΝΩΡΙΣΗ ΓΡΑΦΗΣ

- Text can be input into the computer, using a pen and a digitizing tablet
 - natural interaction
- Technical problems:
 - capturing all useful information - stroke path, pressure, etc. in a natural manner
 - segmenting joined up writing into individual letters
 - interpreting individual letters
 - coping with different styles of handwriting
- Used in PDAs, and tablet computers ...
... leave the keyboard on the desk!



ΑΝΑΓΝΩΡΙΣΗ ΦΩΝΗΣ

- Improving rapidly
- Most successful when:
 - single user – initial training and learns peculiarities
 - limited vocabulary systems
- Problems with
 - external noise interfering
 - imprecision of pronunciation
 - large vocabularies
 - different speakers




ΑΡΙΘΜΗΤΙΚΑ ΠΛΗΚΤΡΟΛΟΓΙΑ


- for entering numbers quickly:
 - calculator, PC keyboard
- for telephones

not the same!!

ATM like phone



telephone



calculator



ΣΥΣΚΕΥΕΣ ΔΕΙΚΤΟΔΟΤΗΣΗΣ: POSITIONING, POINTING AND DRAWING


mouse, touchpad
trackballs, joysticks etc.
touch screens, tablets
eyegaze, cursors

ΤΟ ΠΟΝΤΙΚΙ

- Handheld pointing device
 - very common
 - easy to use

- Two characteristics
 - planar movement
 - buttons

(usually from 1 to 3 buttons on top, used for making a selection, indicating an option, or to initiate drawing etc.)



ΤΟ ΠΟΝΤΙΚΙ (ΣΥΝΕΧΕΙΑ)

Mouse located on desktop

- requires physical space
- no arm fatigue


Relative movement only is detectable.

Movement of mouse moves screen cursor

Screen cursor oriented in (x, y) plane,
mouse movement in (x, z) plane ...

... an *indirect* manipulation device.

- device itself doesn't obscure screen, is accurate and fast.
- hand-eye coordination problems for novice users



ΠΩΣ ΛΕΙΤΟΥΡΓΕΙ?

Two methods for detecting motion

- Mechanical
 - Ball on underside of mouse turns as mouse is moved
 - Rotates orthogonal potentiometers
 - Can be used on almost any flat surface
- Optical
 - light emitting diode on underside of mouse
 - may use special grid-like pad or just on desk
 - less susceptible to dust and dirt
 - detects fluctuating alterations in reflected light intensity to calculate relative motion in (x, z) plane



ΠΟΔΟ-ΠΟΝΤΙΚΙ

- some experiments with the *footmouse*
 - controlling mouse movement with feet ...
 - not very common :-)
- but foot controls are common elsewhere:
 - car pedals
 - sewing machine speed control
 - organ and piano pedals



ΕΠΙΦΑΝΕΙΑ ΑΦΗΣ (TOUCHPAD)

- small touch sensitive tablets
- ‘stroke’ to move mouse pointer
- used mainly in laptop computers

- good ‘acceleration’ settings important
 - fast stroke
 - lots of pixels per inch moved
 - initial movement to the target
 - slow stroke
 - less pixels per inch
 - for accurate positioning



TRACKBALL AND THUMBWHEELS

Trackball

- ball is rotated inside static housing
- like an upside down mouse!
- relative motion moves cursor
- indirect device, fairly accurate
- separate buttons for picking
- very fast for gaming
- used in some portable and notebook computers.

Thumbwheels ...

- for accurate CAD – two dials for X-Y cursor position
- for fast scrolling – single dial on mouse




JOYSTICK AND KEYBOARD NIPPLE

Joystick

- indirect
 - pressure of stick = velocity of movement
- buttons for selection
 - on top or on front like a trigger
- often used for computer games
 - aircraft controls and 3D navigation

Keyboard nipple

- for laptop computers
- miniature joystick in the middle of the keyboard



ΟΘΟΝΕΣ ΑΦΗΣ

- Detect the presence of finger or stylus on the screen.
 - works by interrupting matrix of light beams, capacitance changes or ultrasonic reflections
 - *direct* pointing device
- Advantages:
 - fast, and requires no specialised pointer
 - good for menu selection
 - suitable for use in hostile environment: clean and safe from damage.
- Disadvantages:
 - finger can mark screen
 - imprecise (finger is a fairly blunt instrument!)
 - difficult to select small regions or perform accurate drawing
 - lifting arm can be tiring



STYLUS AND LIGHT PEN

Stylus

- small pen-like pointer to draw directly on screen
- may use touch sensitive surface or magnetic detection
- used in PDA, tablets PCs and drawing tables

Light Pen

- now rarely used
- uses light from screen to detect location

BOTH ...

- very direct and obvious to use
- but can obscure screen



DIGITIZING TABLET

- Mouse like-device with cross hairs
- used on special surface
 - rather like stylus
- very accurate
 - used for digitizing maps




EYEGAZE

- control interface by eye gaze direction
 - e.g. look at a menu item to select it
- uses laser beam reflected off retina
 - ... a very low power laser!
- mainly used for evaluation
- potential for hands-free control
- high accuracy requires headset
- cheaper and lower accuracy devices available
sit under the screen like a small webcam



CURSOR KEYS

- Four keys (up, down, left, right) on keyboard.
- Very, very cheap, but slow.
- Useful for not much more than basic motion for text-editing tasks.
- No standardised layout, but inverted “T”, most common



DISCRETE POSITIONING CONTROLS

- in phones, TV controls etc.
- cursor pads or mini-joysticks
- discrete left-right, up-down
- mainly for menu selection



ΣΥΣΚΕΥΕΣ ΑΠΕΙΚΟΝΙΣΗΣ


bitmap screens (CRT & LCD)

large & situated displays

digital paper

BITMAP DISPLAYS

- screen is vast number of coloured dots



RESOLUTION AND COLOUR DEPTH

- Resolution ... used (inconsistently) for
 - number of pixels on screen (width x height)
 - e.g. SVGA 1024 x 768, PDA perhaps 240x400
 - density of pixels (in pixels or dots per inch - dpi)
 - typically between 72 and 96 dpi
- Aspect ratio
 - ration between width and height
 - 4:3 for most screens, 16:9 for wide-screen TV
- Colour depth:
 - how many different colours for each pixel?
 - black/white or greys only
 - 256 from a pallete
 - 8 bits each for red/green/blue = millions of colours




ANTI-ALIASING

Jaggies

- diagonal lines that have discontinuities in due to horizontal raster scan process.


Anti-aliasing

- softens edges by using shades of line colour
- also used for text



CATHODE RAY TUBE

- Stream of electrons emitted from electron gun, focused and directed by magnetic fields, hit phosphor-coated screen which glows
- used in TVs and computer monitors



HEALTH HAZARDS OF CRT !

- X-rays: largely absorbed by screen (but not at rear!)
- UV- and IR-radiation from phosphors: insignificant levels
- Radio frequency emissions, plus ultrasound (~16kHz)
- Electrostatic field - leaks out through tube to user. Intensity dependant on distance and humidity. Can cause rashes.
- Electromagnetic fields (50Hz-0.5MHz). Create induction currents in conductive materials, including the human body. Two types of effects attributed to this: visual system - high incidence of cataracts in VDU operators, and concern over reproductive disorders (miscarriages and birth defects).



HEALTH HINTS ...

- do not sit too close to the screen
 - do not use very small fonts
 - do not look at the screen for long periods without a break
 - do not place the screen directly in front of a bright window
 - work in well-lit surroundings
- ★ Take extra care if pregnant.
but also posture, ergonomics, stress



LIQUID CRYSTAL DISPLAYS

- Smaller, lighter, and ... no radiation problems.
- Found on PDAs, portables and notebooks,
... and increasingly on desktop and even for home TV
- also used in dedicted displays:
digital watches, mobile phones, HiFi controls
- How it works ...
 - Top plate transparent and polarised, bottom plate reflecting.
 - Light passes through top plate and crystal, and reflects back to eye.
 - Voltage applied to crystal changes polarisation and hence colour
 - N.B. light reflected not emitted => less eye strain



SPECIAL DISPLAYS

Random Scan (Directed-beam refresh, vector display)

- draw the lines to be displayed directly
- no jaggies
- lines need to be constantly redrawn
- rarely used except in special instruments

Direct view storage tube (DVST)

- Similar to random scan but persistent => no flicker
- Can be incrementally updated but not selectively erased
- Used in analogue storage oscilloscopes



LARGE DISPLAYS

- used for meetings, lectures, etc.
- technology
 - plasma – usually wide screen
 - video walls – lots of small screens together
 - projected – RGB lights or LCD projector
 - hand/body obscures screen
 - may be solved by 2 projectors + clever software
 - back-projected
 - frosted glass + projector behind



SITUATED DISPLAYS

- displays in 'public' places
 - large or small
 - very public or for small group
- display only
 - for information relevant to location
- or interactive
 - use stylus, touch sensitive screen
- in all cases ... the location matters
 - meaning of information or interaction is related to the location



HERMES A SITUATED DISPLAY

- small
- hand small displays beside office doors
- office



handwritten notes left using stylus

office owner reads notes using web interface



ΕΙΚΟΝΙΚΗ ΠΡΑΓΜΑΤΙΚΟΤΗΤΑ ΚΑΙ 3D ΑΛΛΗΛΕΠΙΔΡΑΣΗ


positioning in 3D space
moving and grasping
seeing 3D (helmets and caves)

POSITIONING IN 3D SPACE

- cockpit and virtual controls
 - steering wheels, knobs and dials ... just like real!
- the 3D mouse
 - six-degrees of movement: x, y, z + roll, pitch, yaw
- data glove
 - fibre optics used to detect finger position
- VR helmets
 - detect head motion and possibly eye gaze
- whole body tracking
 - accelerometers strapped to limbs or reflective dots and video processing



PITCH, YAW AND ROLL



Axes of movement: https://www.youtube.com/watch?v=5lkPWZjUQlw&ab_channel=flight-club




3D DISPLAYS

- desktop VR
 - ordinary screen, mouse or keyboard control
 - perspective and motion give 3D effect
- seeing in 3D
 - use stereoscopic vision
 - VR helmets
 - screen plus shuttered specs, etc.



VR HEADSETS

- small TV screen for each eye
- slightly different angles
- 3D effect




VR MOTION SICKNESS

- time delay
 - move head ... lag ... display moves
 - *conflict*: head movement vs. eyes
- depth perception
 - headset gives different stereo distance
 - but all focused in same plane
 - *conflict*: eye angle vs. focus
- conflicting cues => sickness
 - helps motivate improvements in technology



SIMULATORS AND VR CAVES

- scenes projected on walls
- realistic environment
- hydraulic rams!
- real controls
- other people



ΣΥΣΚΕΥΕΣ ΦΥΣΙΚΟΥ ΕΛΕΓΧΟΥ, ΑΙΣΘΗΤΗΡΕΣ

special displays and gauges

sound, touch, feel, smell

physical controls

environmental and bio-sensing

DEDICATED DISPLAYS

- analogue representations:
 - dials, gauges, lights, etc.
- digital displays:
 - small LCD screens, LED lights, etc.
- head-up displays
 - found in aircraft cockpits
 - show most important controls
 - ... depending on context



SOUNDS

- beeps, bongs, clonks, whistles and whirrs
- used for error indications
- confirmation of actions e.g. keyclick



TOUCH, FEEL, SMELL

- touch and feeling important
 - in games ... vibration, force feedback
 - in simulation ... feel of surgical instruments
 - called *haptic* devices
- texture, smell, taste
 - current technology very limited




BMW iDRIVE

- for controlling menus
- feel small 'bumps' for each item
- makes it easier to select options by feel
- uses haptic technology from Immersion Corp.



PHYSICAL CONTROLS

- specialist controls needed ...
- industrial controls, consumer products, etc.



large buttons

clear dials



tiny buttons

easy-clean
smooth buttons

multi-function
control



ENVIRONMENT AND BIO-SENSING

- sensors all around us
 - car courtesy light – small switch on door
 - ultrasound detectors – security, washbasins
 - RFID security tags in shops
 - temperature, weight, location
- ... and even our own bodies ...
 - iris scanners, body temperature, heart rate, galvanic skin response, blink rate



ΧΑΡΤΙ: ΕΚΤΥΠΩΣΗ ΚΑΙ ΣΑΡΩΣΗ


print technology

fonts, page description, WYSIWYG

scanning, OCR

PRINTING

- image made from small dots
 - allows any character set or graphic to be printed,
- critical features:
 - resolution
 - size and spacing of the dots
 - measured in dots per inch (dpi)
 - speed
 - usually measured in pages per minute
 - cost!!



TYPES OF DOT-BASED PRINTERS

- dot-matrix printers
 - use inked ribbon (like a typewriter)
 - line of pins that can strike the ribbon, dotting the paper.
 - typical resolution 80-120 dpi
- ink-jet and bubble-jet printers
 - tiny blobs of ink sent from print head to paper
 - typically 300 dpi or better .
- laser printer
 - like photocopier: dots of electrostatic charge deposited on drum, which picks up toner (black powder form of ink) rolled onto paper which is then fixed with heat
 - typically 600 dpi or better.



ΕΚΤΥΠΩΣΕΙΣ ΓΙΑ ΜΑΓΑΖΙΑ

- shop tills
 - dot matrix
 - same print head used for several paper rolls
 - may also print cheques
- thermal printers
 - special heat-sensitive paper
 - paper heated by pins makes a dot
 - poor quality, but simple & low maintenance
 - used in some fax machines



ΓΡΑΜΜΑΤΟΣΕΙΡΕΣ

- Font – the particular style of text

Courier font

Helvetica font

Palatino font

Times Roman font

- §'∞≡←↓℞ ⊗←~ (special symbol)

- Size of a font measured in points (1 pt about 1/72")
(vaguely) related to its height

This is ten point Helvetica

This is twelve point

This is fourteen point

This is eighteen point

and this is twenty-four point




ΓΡΑΜΜΑΤΟΣΕΙΡΕΣ

Pitch

- fixed-pitch – every character has the same width
e.g. Courier
- variable-pitched – some characters wider
e.g. Times Roman – compare the ‘i’ and the ‘m’

Serif or Sans-serif

- sans-serif – square-ended strokes
e.g. Helvetica
- serif – with splayed ends (such as)
e.g. Times Roman or Palatino



ΑΝΑΓΝΩΣΙΜΟΤΗΤΑ ΚΕΙΜΕΝΟΥ

- lowercase
 - easy to read shape of words
- UPPERCASE
 - better for individual letters and non-words
e.g. flight numbers: BA793 vs. ba793
- serif fonts
 - helps your eye on long lines of printed text
 - but sans serif often better on screen



ΓΛΩΣΣΕΣ ΑΝΑΠΑΡΑΣΤΑΣΗΣ ΣΕΛΙΔΩΝ ΕΚΤΥΠΩΣΗΣ

- Pages very complex
 - different fonts, bitmaps, lines, digitised photos, etc.
- Can convert it all into a bitmap and send to the printer ... but often huge !
- Alternatively Use a page description language
 - sends a *description* of the page can be sent,
 - instructions for curves, lines, text in different styles, etc.
 - like a programming language for printing!
- PostScript is the most common



ΟΘΟΝΗ ΚΑΙ ΣΕΛΙΔΑ ΕΚΤΥΠΩΣΗΣ

- WYSIWYG
 - what you see is what you get
 - aim of word processing, etc.
- but ...
 - screen: 72 dpi, landscape image
 - print: 600+ dpi, portrait
- can try to make them similar
but never quite the same
- so ... need different designs, graphics etc, for screen and print



ΣΑΡΩΣΗ

- Take paper and convert it into a bitmap
- Two sorts of scanner
 - flat-bed: paper placed on a glass plate, whole page converted into bitmap
 - hand-held: scanner passed over paper, digitising strip typically 3-4" wide
- Shines light at paper and note intensity of reflection
 - colour or greyscale
- Typical resolutions from 600–2400 dpi



ΣΑΡΩΣΗ (ΣΥΝ.)

Used in

- desktop publishing for incorporating photographs and other images
- document storage and retrieval systems, doing away with paper storage
- + special scanners for slides and photographic negatives



ΟΠΤΙΚΗ ΑΝΑΓΝΩΡΙΣΗ ΧΑΡΑΚΤΗΡΩΝ

- OCR converts bitmap back into text
- different fonts
 - create problems for simple “template matching” algorithms
 - more complex systems segment text, decompose it into lines and arcs, and decipher characters that way
- page format
 - columns, pictures, headers and footers



PAPER-BASED INTERACTION

- paper usually regarded as *output* only
- can be *input* too – OCR, scanning, etc.
- Xerox PaperWorks
 - glyphs – small patterns of $\backslash\backslash\backslash\backslash$
 - used to identify forms etc.
 - used with scanner and fax to control applications
- more recently
 - papers micro printed - like watermarks
 - identify *which* sheet and *where* you are
 - special ‘pen’ can read locations
 - know where they are writing



MNHMH

short term and long term
speed, capacity, compression
formats, access

SHORT-TERM MEMORY - RAM

- Random access memory (RAM)
 - on silicon chips
 - 100 nano-second access time
 - usually volatile (lose information if power turned off)
 - data transferred at around 100 Mbytes/sec
- Some *non-volatile RAM* used to store basic set-up information
- Typical desktop computers:
256 to 1024 Mbytes RAM



LONG-TERM MEMORY - DISKS

- magnetic disks
 - floppy disks store around 1.4 Mbytes
 - hard disks typically 40 Gbytes to 100s of Gbytes
access time ~10ms, transfer rate 100kbytes/s
- optical disks
 - use lasers to read and sometimes write
 - more robust than magnetic media
 - CD-ROM
 - same technology as home audio, ~ 600 Mbytes
 - DVD - for AV applications, or very large files



BLURRING BOUNDARIES

- PDAs
 - often use RAM for their main memory
- Flash-Memory
 - used in PDAs, cameras etc.
 - silicon based but persistent
 - plug-in USB devices for data transfer



SPEED AND CAPACITY

- what do the numbers mean?
- some sizes (all uncompressed) ...
 - this book, text only ~ 320,000 words, 2Mb
 - the Bible ~ 4.5 Mbytes
 - scanned page ~ 128 Mbytes
 - (11x8 inches, 1200 dpi, 8bit greyscale)
 - digital photo ~ 10 Mbytes
 - (2–4 mega pixels, 24 bit colour)
 - video ~ 10 Mbytes *per second*
 - (512x512, 12 bit colour, 25 frames per sec)



VIRTUAL MEMORY

- Problem:
 - running lots of programs + each program large
 - not enough RAM
- Solution - Virtual memory :
 - store some programs temporarily on disk
 - makes RAM appear bigger
- But ... swapping
 - program on disk needs to run again
 - copied from disk to RAM
 - slows things down



COMPRESSION

- reduce amount of storage required
- lossless
 - recover exact text or image – e.g. GIF, ZIP
 - look for commonalities:
 - text: AAAAAAAAAABBBBBBCCCCCCCC ➡ 10A5B8C
 - video: compare successive frames and store change
- lossy
 - recover something like original – e.g. JPEG, MP3
 - exploit perception
 - JPEG: lose rapid changes and some colour
 - MP3: reduce accuracy of drowned out notes



STORAGE FORMATS - TEXT

- ASCII - 7-bit binary code for to each letter and character
- UTF-8 - 8-bit encoding of 16 bit character set
- RTF (rich text format)
 - text plus formatting and layout information
- SGML (standardized generalised markup language)
 - documents regarded as structured objects
- XML (extended markup language)
 - simpler version of SGML for web applications



STORAGE FORMATS - MEDIA

- Images:
 - many storage formats :
(PostScript, GIFF, JPEG, TIFF, PICT, etc.)
 - plus different compression techniques
(to reduce their storage requirements)
- Audio/Video
 - again lots of formats :
(QuickTime, MPEG, WAV, etc.)
 - compression even more important
 - also 'streaming' formats for network delivery



PROCESSING AND NETWORKS

finite speed (but also Moore's law)

limits of interaction

networked computing


FINITE PROCESSING SPEED

- Designers tend to assume fast processors, and make interfaces more and more complicated
- But problems occur, because processing cannot keep up with all the tasks it needs to do
 - cursor overshooting because system has buffered keypresses
 - icon wars - user clicks on icon, nothing happens, clicks on another, then system responds and windows fly everywhere
- Also problems if system is too fast - e.g. help screens may scroll through text much too rapidly to be read



MOORE'S LAW

- Computers get faster and faster!
- 1965 ...
 - Gordon Moore, co-founder of Intel, noticed a pattern
 - processor speed doubles every 18 months
 - PC ... 1987: 1.5 Mhz, 2002: 1.5 GHz
- similar pattern for memory
 - but doubles every 12 months!!
 - hard disk ... 1991: 20Mbyte : 2002: 30 Gbyte
- baby born today
 - record all sound and vision
 - by 70 all life's memories stored in a grain of dust!



THE MYTH OF THE INFINITELY FAST MACHINE

- implicit assumption ... no delays
an infinitely fast machine
- what is good design for real machines?
- good example ... the telephone :
 - type keys too fast
 - hear tones as numbers sent down the line
 - actually an accident of implementation
 - emulate in design



LIMITATIONS ON INTERACTIVE PERFORMANCE

Computation bound

- Computation takes ages, causing frustration for the user

Storage channel bound

- Bottleneck in transference of data from disk to memory

Graphics bound

- Common bottleneck: updating displays requires a lot of effort - sometimes helped by adding a graphics co-processor optimised to take on the burden

Network capacity

- Many computers networked - shared resources and files, access to printers etc. - but interactive performance can be reduced by slow network speed



NETWORKED COMPUTING

Networks allow access to ...

- large memory and processing
- other people (groupware, email)
- shared resources – esp. the web

Issues

- network delays – slow feedback
- conflicts - many people update data
- unpredictability



THE INTERNET

- history ...
 - 1969: ARPANET US DoD, 4 sites
 - 1971: 23; 1984: 1000; 1989: 10000
- common language (protocols):
 - TCP – Transmission Control protocol
 - lower level, packets (like letters) between machines
 - IP – Internet Protocol
 - reliable channel (like phone call) between programs on machines
 - email, HTTP, all built on top of these



